

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**MiCOM Labs  
575 Boulder Court  
Pleasanton, CA 94566**

**Date of Grant: 06/24/2022  
Application Dated: 06/24/2022**

**XPLORA Technologies AS  
Nedre Slottsgate 8  
Oslo, 0157  
Norway**

**Attention: Sanghyo Kim , Mr.**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2AVMJXGO3  
**Name of Grantee:** XPLORA Technologies AS  
**Equipment Class:** PCS Licensed Transmitter worn on body  
**Notes:** Kids Smartwatch

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	22H	824.2 - 848.8	0.933	2.5 PM	245KGXW
	22H	824.2 - 848.8	0.297	2.5 PM	249KG7W
	24E	1850.2 - 1909.8	0.614	2.5 PM	247KGXW
	24E	1850.2 - 1909.8	0.198	2.5 PM	248KG7W
	22H	826.4 - 846.6	0.118	2.5 PM	4M16F9W
	24E	1852.4 - 1907.6	0.14	2.5 PM	4M16F9W
	24E	1860.0 - 1900.0	0.064	2.5 PM	18M0G7D
	24E	1850.7 - 1909.3	0.116	2.5 PM	1M10G7D
	24E	1860.0 - 1900.0	0.057	2.5 PM	18M0W7D
	24E	1850.7 - 1909.3	0.103	2.5 PM	1M10W7D
	27	1720.0 - 1745.0	0.122	2.5 PM	18M0G7D
	27	1717.5 - 1747.5	0.141	2.5 PM	13M5G7D
	27	1720.0 - 1745.0	0.132	2.5 PM	18M0W7D
	27	1711.5 - 1753.5	0.141	2.5 PM	2M68W7D
	22H	829.0 - 844.0	0.112	2.5 PM	9M01G7D
	22H	824.7 - 848.3	0.128	2.5 PM	1M10G7D
	22H	829.0 - 844.0	0.095	2.5 PM	8M98W7D
	22H	826.5 - 846.5	0.097	2.5 PM	4M50W7D
	27	2510.0 - 2560.0	0.114	2.5 PM	18M0G7D
	27	2510.0 - 2560.0	0.085	2.5 PM	18M0W7D
	27	2507.5 - 2562.5	0.092	2.5 PM	13M5W7D
	27	704.0 - 711.0	0.122	2.5 PM	9M03G7D
	27	699.7 - 715.3	0.168	2.5 PM	1M10G7D
	27	704.0 - 711.0	0.114	2.5 PM	9M01W7D
	27	699.7 - 715.3	0.163	2.5 PM	1M10W7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above 1GHz. FCC RF Exposure Information and Statement that the SAR limit of USA (FCC) for face Limit is 1.6 W/kg and Wristbands is 4.0W/kg. The evaluation distance for product

specific (next-to-mouth) and extremity (wrist) is 10 mm and 0 mm respectively. The highest reported SAR for product specific (next-to-mouth), simultaneous transmission, and extremity (wrist) use conditions is 0.66 W/kg, 1.37 W/kg, and 0.75 W/kg, respectively. This device also contains functions that are not operational in U.S. Territories. This filing is only applicable for US operations.