

**Certification
Issued Under the Authority of the
Federal Communications Commission
By:**

**MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566**

**Date of Grant: 07/28/2021
Application Dated: 07/28/2021**

**XPLORA Technologies AS
Tangerudvegen 13
Fjerdingsby, 2008
Norway**

Attention: Sanghyo Kim , Mr.

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AVMJ-XGO2
Name of Grantee: XPLORA Technologies AS
Equipment Class: Digital Transmission System
Notes: Kids Smartwatch

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	2402.0 - 2480.0	0.001		
	15C	2412.0 - 2462.0	0.022		

Output power listed is conducted power. SAR compliance for limbs-worn operating configurations is limited to the specific configurations tested for this filing. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance, keep the safety distance at least 1.0 cm front to face. The highest reported SAR for front to face, limbs-worn and simultaneous transmission use conditions is 0.26W/kg, 0.10W/kg and 0.98W/kg respectively.



**Certification
Issued Under the Authority of the
Federal Communications Commission**

By:

**MiCOM Labs
575 Boulder Court
Pleasanton, CA 94566**

Date of Grant: 07/28/2021

Application Dated: 07/28/2021

**XPLORA Technologies AS
Tangerudvegen 13
Fjerdingsby, 2008
Norway**

Attention: Sanghyo Kim , Mr.

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

FCC IDENTIFIER: 2AVMJ-XGO2
Name of Grantee: XPLORA Technologies AS
Equipment Class: PCS Licensed Transmitter
Notes: Kids Smartwatch

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	27	1712.5 - 1752.5	0.136	2.5 PM	4M50G7D
	27	1715.0 - 1750.0	0.135	2.5 PM	8M98W7D
	27	1720.0 - 1745.0	0.124	2.5 PM	18M0G7D
	27	1720.0 - 1745.0	0.135	2.5 PM	18M0W7D
	24E	1850.2 - 1909.8	0.598	2.5 PM	242KGXW
	24E	1850.2 - 1909.8	0.195	2.5 PM	248KG7W
	24E	1850.7 - 1909.3	0.115	2.5 PM	1M09G7D
	24E	1850.7 - 1909.3	0.1	2.5 PM	1M09W7D
	24E	1852.4 - 1907.6	0.133	2.5 PM	4M16F9W
	24E	1860.0 - 1900.0	0.068	2.5 PM	18M0G7D
	24E	1860.0 - 1900.0	0.055	2.5 PM	18M0W7D
	27	2502.5 - 2567.5	0.108	2.5 PM	4M50G7D
	27	2502.5 - 2567.5	0.092	2.5 PM	4M50W7D
	27	2510.0 - 2560.0	0.104	2.5 PM	17M9G7D
	27	2510.0 - 2560.0	0.091	2.5 PM	17M9W7D
	27	699.7 - 715.3	0.169	2.5 PM	1M09G7D
	27	699.7 - 715.3	0.16	2.5 PM	1M09W7D
	27	704.0 - 711.0	0.123	2.5 PM	8M97G7D
	27	704.0 - 711.0	0.111	2.5 PM	8M97W7D
	22H	824.2 - 848.8	0.832	2.5 PM	244KGXW
	22H	824.2 - 848.8	0.289	2.5 PM	257KG7W
	22H	826.4 - 846.6	0.119	2.5 PM	4M15F9W
	22H	826.5 - 846.5	0.128	2.5 PM	4M50G7D
	22H	826.5 - 846.5	0.102	2.5 PM	4M50W7D
	22H	829.0 - 844.0	0.12	2.5 PM	8M97G7D
	22H	829.0 - 844.0	0.098	2.5 PM	8M95W7D

Power output listed is ERP for frequencies below 1GHz and EIRP for frequencies above

1GHz. SAR compliance for limbs-worn operating configurations is limited to the specific configurations tested for this filing. End-users must be informed of the body-worn operating requirements for satisfying RF exposure compliance, keep the safety distance at least 1.0 cm front to face. The highest reported SAR for front to face, limbs-worn and simultaneous transmission use conditions is 0.72W/kg, 1.55W/kg and 0.98W/kg respectively.